

BOWLING RISK ASSESSMENT BJ's Bouncy Castles

LOCATION:	Various Locations On Flat Ground		
OPERATION/PROCESS:	Safe use and operation of Inflatable Bowling		
HAZARDS IDENTIFIED:	1. Slips, Trips and falls, 2. Electrocution 3. Knocks and hits from balls and pins		
SECONDARY HAZARDS:	Weather conditions,		
EXPOSED PERSONS:	Staff, users and passersby		
FREQUENCY OF EXPOSURE:	Daily	DURATION OF EXPOSURE: As per the event hours	
RISK = LIKELIHOOD X SEVERITY			
LIKELIHOOD 0 = Zero to very low 1 = Very unlikely 2 = Unlikely 3 = Likely 4 = Very likely 5 = Almost certain		SEVERITY 0 = No injury or illness 1 = First aid injury or illness 2 = Minor injury or illness 3 = "3 day" injury or illness 4 = Major injury or illness 5 = Fatality, disablement injury, etc	
Risk Values: LOW = 1 to 8 MEDIUM = 9 to 16 HIGH = 17 to 25			
Activity Risk Rating: <i>Likelihood 2 X Severity 1 = Total 2</i>			
Activity Risk Value: LOW ✓ MEDIUM HIGH			
CONTROL MEASURES Steps to be taken to avoid an accident or incident leading to an injury:		Due to the nature of the equipment being used and its purpose, with numerous children of various sizes and ages Funday have allowed for the following control measures to assist in the prevention of an accident or injury. 1. All electrical equipment tested. 2. All cables to be tapped down, covered or routed outside of walkways/ pedestrian routes and checked regularly. 3. All equipment is to be checked before being taken to an event. 4. No person will be allowed to lean or sit of any walls of the inflatables to reduce risk of falling to the ground on the outside of the inflatable. 5. During bad weather equipment will be switched off and isolated to prevent slips and falls on the equipment and risk of electrocution. 6. If powered by a generator a fire extinguisher will be needed and kept available at all times in case of emergencies and all staff will be trained on the correct use of them. 7. Following an incident/accident if manned please inform us immediately who will then inform the client and administer first aid or as required. 8. All staff are to be briefed on the risk assessments for the event procedures. 9. Bad weather is excessive rain, high winds, sleet and snow 10. Only one person per side at a time to avoid clashing and injury 11. Only equipment supplied with this item is allowed to be used	
Residual Risk Rating: Likelihood 2 X Severity 1 = Total 2			
MONITORING RESULTS: Staff will ensure the above is adhered to at all times			
REVIEW DATE: At regular intervals, or when circumstances change.			
RESIDUAL RISK RATING: LOW			
ASSESSOR:	Suzanne Jack	POSITION	Director Date 1 st April 2025